

2021 AWNINGS

Caravans, camper van & motorhomes



Summer
Line



SummerLine offers a large choice of awnings that allow you to take full advantage of your holiday and relaxation! When it comes to concepts/designs, our day-to-day challenge is to create models that are **100% adapted to meet the needs for additional space; a high-quality design and final product** are at the heart of what we do.



All SummerLine components are tested ahead of time before being assembled in accordance with professional standards, while seams, cuts, and welds are checked at each stage of production.



AWNINGS

The SummerLine collection of awnings was invented and created in France, and has been adapted to fit all leisure vehicles. It offers comfortable extra space that can be used as a kitchen space, a bedroom, a living space and much more.

Our task is to research how to improve your comfort for your entire holiday, ensuring tranquillity.



Specialised in selling awnings

for years, SummerLine has always been at the cutting edge of technology and offers a large range of traditional and inflatable awnings.

SummerLine also offers a complete range of accessories, including annexe spaces, rooms, awnings, outdoor shelters, wind protectors, sun canopies and lighting, all to improve your day-to-day comfort while on holiday.



Solutions for every Vehicle


Whether it is a caravan, campervan or van, you are sure to find a SummerLine product designed for your leisure vehicle.




Traditional awning with steel frame



Awning with inflatable frame



Fixed awning



Drive away awning

Advantages to every Solution

Traditional or inflatable awning, fixed or drive away awning, the possibilities are endless and our specialists will help you choose the perfect awning for you.

Materials adapted to every use

All of our models are adapted to your needs, whether it be for short holidays and weekends or longer breaks during the summer.



CONTENTS

The choice of an awning designed for your vehicle 5
 Reasons to choose an inflatable awning 6

INFLATABLE AWNINGS FOR CAMPERVANS AND VANS 7

Fixed awnings

Pampéo Air Plus **NEW** 8
 Zonda Air **NEW** 10

Drive away awnings

Bréva Air **NEW** 12
 Bora Air **NEW** 14
 Alizé Air **NEW** 16
 Adventurer Air 18
 Barrani Air **NEW** 20
 Liberty Air 22

Campervan awning with frame

Hiking van [Special tailboard awning] 24

INFLATABLE AWNINGS FOR CARAVANS 26

Zonda Air **NEW** 10
 Sirocco Air 27
 Libeccio Air Plus **NEW** 28
 Tivano Air 30

TRADITIONAL AWNINGS FOR CARAVANS 32

Onyx 34
 Zircon 36
 Jade 37
 Agate 38

ANNEXE SPACES

Traditional awning annexes 39
 Inflatable awning annexes 40

ACCESSORIES

Annexes specifically for inflatable awnings 42
 Annexes specifically for traditional awnings 43
 Universal accessories 46

SUN CANOPY

Notus sun canopy 49

GROUND MAT

PVC mat /floor MAT 50
 Isabella mat / polypropylene mat 51

WIND PROTECTOR

Privacy / Windy 52

OUTDOOR SHELTERS

Shelter Air 53
 Elysée 54
 Eden / Olympe 55
 Technical tables and compatibility accessories 56-59

THE CHOICE OF AN AWNING SUITED TO YOUR VEHICLE AND YOUR NEEDS

TRADITIONAL AWNINGS (Frame)

Model	Vehicle compatibility			Use		Frame		Type				Awning dimensions of fixed models / partially fixed / drive away		Drive away awnings	Complete awning characteristics			Blinds	Curtains	Interior blackout curtains	
	Caravans	Campervan	Vans	Short breaks summer	Long breaks spring summer	Steel	Fibre glass	Fixed	Partially fixed	Drive away	Complete	Length in cm	Depth in cm		Depth of the tunnel in cm	Available sizes	Extended (metres)				Depth in cm
Agate	•			•		•					•				Sizes 0 to 13	From 6.65 to 11.55	270		•		
Jade	•				•	•					•				Sizes 0 to 13	From 6.65 to 11.55	270		•		
Zircon	•				•	•					•				Sizes 2 to 13	From 7.36 to 11.55	270	•	•		
Onyx	•				•	•					•				Sizes 4 to 8(1)	From 7.25 to 11.00	240/270/300	•	•		
Hiking			•	•		•	•			• Special tail-board awning		235	235	135							•

INFLATABLE AWNINGS (Inflatable structure)

Model	Vehicle compatibility			Use		Inflatable structure		Type				Awning dimensions of fixed models / partially fixed / drive away		Drive away awnings	Complete awning characteristics			Blinds	Curtains	Interior blackout curtains	
	Caravans	Campervan	Vans	Short breaks summer	Long breaks spring summer	Multi-point	Single-point	Fixed	Partially fixed	Drive away	Complete	Length in cm	Depth in cm		Depth of the tunnel in cm	Available sizes	Extended (metres)				Depth in cm
Bréva Air			•	•		•				•		300	190	90							•
Bora Air		•		•		•				•		300	300	90							•
Alizé Air			•	•		•				•		250	250	-							•
Sirocco Air	•				•		•		•			300-380	250-280								•
Libeccio Air Plus	•	•(2)			•		•	•	•			260-390	300-300								•
Tivano Air	•				•		•(4)			•					Sizes 8 to 18(1)	From 8.25 to 11.00	240				•
Adventurer Air			•		•	•				•		340	220	130							•
Barrani Air		•	•		•		•			•		390	270	115 (low model) 245 (high model))							•
Zonda Air	•	•			•		•	•				330	280								•
Pampéo Air Plus		•			•		•	•				400	300								•
Liberty Air		•	•(3)		•		•			•		260/330/390	250	90							•

(1) Reference size B. (2) Specifically for assembly height 235 to 250 cm. (3) Only for length: 260 cm. (4) Inflatable intermediate bars to be added to some sizes.

INFLATABLE AWNINGS

FOR MORE CONVENIENCE !



INFLATABLE AWNINGS

MOTORHOMES AND CAMPER VANS

Reasons to choose an inflatable awning ?

- Quick to set up and dismantle
- Lightness: The lack of frame reduces the overall weight by a total of around 30%
- Easy to set up: no more headaches assembling tubes and asking children and neighbours to hold the frame

SINGLE-POINT INFLATION SYSTEM

The airtubes are drive away, but are interconnected to be able to inflate the awning from a single point. Inflation is even quicker and easier than multi-point inflation systems, where each of the tubes making up the awning have to be inflated separately.



Single Inflation point



MULTI-POINT inflation system

Each airtube has to be inflated separately.



BOTH PRACTICAL AND COMFORTABLE, MOTORHOME AND CAMPER VAN WILL GUARANTEE YOU TRANQUILLITY AND MOBILITY.

However, when you are travelling, there is sometimes a lack of space and privacy. If this is the case, don't worry because an awning is the perfect alternative. You can set it up in an eating area to host your friends or use it to create an additional sleeping space. Awnings provide comfort and peace of mind at every stop ! If you are on the move a lot, opt for an inflatable awning, which is quicker and easier to set up.

CHOOSE A MODEL THAT IS COMPATIBLE WITH YOUR VAN OR CAMPER VAN

Whether it's attached to a rail installed on your vehicle, on the awning rail, by securing ropes or on your tailboard, ensure that the installation height (A) of your awning corresponds to the configuration of your vehicle. Installation height = measure from the ground to the installation rail. Ensure that the length of your awning's snap ring does not exceed the length of the rail (B) available on your vehicle.



FIXED OR DRIVE AWAY AWNINGS ?



ATTACHED AWNINGS
Ideal for use when stationary



DRIVE AWAY AWNINGS

These give you the advantage of a covered and private access between your motorhome or camper van and your awning, while still having the option to leave with your vehicle when you want without having to take down the awning.



TWIN BEADING

Models with a twin beading are compatible with the majority of awnings on the market that are equipped with a rail. The attachment to the rail on your awning is a secondary solution, we recommend that you install a stick-on rail under the awning case so as not to damage it.



TIP: Remember to check the air pressure level of your awning regularly.

Awning PAMPÉO AIR PLUS

Single
Inflation
point

INFLATABLE AWNINGS

- Quick and easy to install: single inflation point.
- Superior quality canvas. Unique modern design.

The new version of Pampéo's leading model, the Pampéo Plus, is a top-of-the-line awning for camper vans. It is equipped with a new inflatable structure and an adjustable pocket to hold Eva Pads (optional). Eva Pads are recommended when you install your wall awning on the rail. Its size offers additional living space of 12 m² that you can expand with another room on either side. The roof lighting panels provide excellent brightness. Each side has an entrance and a large mosquito net that allows for better ventilation and therefore a more pleasant temperature under your awning in hot weather. Making sitting under your awning more comfortable with the many options available.

Feature:

Suitable for camper vans with an installation height (distance from the ground to the installation rail) of between 2.35 and 2.95 metres. The Pampéo model comes with a double snap ring that can be fitted to the rail of your awning or to a stick-on rail on the vehicle wall (under the awning if you have one). Detachable front and sides.

Awning dimensions:

Length: 4.00 m. Depth: 3.00 m.

Material: All Season coated polyester. Manual pump included.

Awning Pampéo Air SummerLine

Connection height	Ref./Price
235-250 cm	855467P
250-265 cm	855468P
265-280 cm	855469P
280-295 cm	855470P



Eva PAD SummerLine

Eva PADs are recommended when you install your awning to the wall-mounted rail in order to fill the space between the awning and your vehicle.

Pack of 6

Dimensions (L x P x H) : 12 x 12 x 2 cm.



855571 _____ **£9,90**

Universal mounting kit 4.00 m

Rail to be glued to your vehicle (under your awning if you have one) in order to install your awning.

For effective bonding, we recommend using Sikaflex 512 sealant.

Color	Ref./Price
White	740197
Anthracite	740198



Long Breaks
Spring
Summer

NEW

Summer
Line

Awning
PAMPÉO
AIR PLUS

Polyester
All Season

400 x 300 cm



INFLATABLE AWNINGS

• Superior quality canvas.
• Carefully crafted finishings. Quick and easy to set up.

The Zonda Air awning is a top-of-the-range, single-point inflatable awning that is designed to adapt to caravans and camper vans.

This awning's use of high-quality materials and carefully crafted finishings will give you a sense of well-being. The breathable acrylic canvas provides a pleasant internal temperature with dazzling colours and is durable no matter the weather. The canvas is easy to maintain thanks to a waterproofing treatment that ensures that water rolls off the canvas instead of soaking in.

Each side has an entrance and a large mosquito net that can be sealed using an external panel. For increased convenience, all of the panels are detachable and have external panels to protect you from the sun and guarantee your privacy.

Inflatable awnings, which are increasingly common on the market, have a very significant advantage over traditional awnings as setting them up and taking them down is much easier and quicker.

Improve comfort under your awning with the many options available, such as the overhang and the specific additional room.

Dimensions (W x D) : 330 x 280 cm.
Available in 4 sizes to suit vehicles with an installation height between 235 cm and 295 cm.
Attach to your awning's or vehicle's rail. If your vehicle does not have a rail, you can attach a stick-on rail (optional) to the wall. One-point inflatable structure. Interior flap. Double snap ring (4.5 mm and 7 mm) in order to

adapt to the majority of awning rails. Manual pump and storage bag included..

Awning Zonda Air SummerLine	
Hauteur de montage	Ref./Price
235-250 cm	855581
250-265 cm	855582
265-280 cm	855583
280-295 cm	855584



Detachable front panels

Panneaux de façade détachables



Zonda Air overhang SummerLine

Ideal for enjoying a shaded space outside, for convivial and shared moments.
Length: 310 cm. Depth: 240 cm.
Includes 3 aluminium posts (can be adjusted from 1.70 m to 2.30 m) and fastening cords.
855585 ————— **£99,00**



Caravan



Motorhome

Long Breaks
Spring
Summer

NEW



Presented with high annex



INFLATABLE AWNINGS

- Quick and easy to set up. • Ultra compact when folded into the bag (70 x 30 x 30 cm).
- Weight: only 12.5 k. • Ground sheet included.

The Bréva Air awning is a drive away inflatable awning specifically for vans. In summer, its lightness and small size makes it perfect for those who want to go on short trips and increase the living space in their converted vans. To ensure maximum convenience for users, it is quick and easy to put in place and can even be set up separately from the vehicle.

The connecting tunnel at the back has a door to allow for access to the vehicle. The sides have large windows that guarantee excellent light and views outside to take full advantage of the surrounding nature.

These windows are fitted with interior blackout blinds that ensure privacy and protect against sunrays if needed. The front is detachable and can be rolled into a half-panel to create an additional door at the front on either side (left side with a mosquito net + external panel, right side with window).

The ground sheet, supplied as standard, ensures maximum comfort and protects from humidity and insects. Designed for vans with an installation height of between 180 cm and 210 cm.

Dimensions (L x P) : 300 cm x 280 cm (190 cm + tunnel of 90 cm).

Attach the connecting tunnel to your awning's or vehicle's rail. If your vehicle does not have the original rail, you can attach a stick-on rail (optional) to the wall.

When using a drive away awning, consider the optimal drive away awning kit.

Length of the snap ring: 250 cm.

Multi-point inflatable structure. Interior flap.

Double snap ring (4.5 mm and 7 mm) in order to adapt to the majority of awning rails.

Weight: 12.5 kg. Height: 170/205 cm. Manual pump and storage bag are included..

855569 _____



Camper Van



NEW

Awning
BREVA AIR

Polyester

300 x 280 cm



Direct access to the vehicle. Ground sheet included



Use as a drive away awning



Use as a drive away awning





INFLATABLE AWNINGS

- Quick and easy to set up. • Light: only 20 kg for 12m².
- Ultra compact when folded into the bag (70 x 32 x 32 cm). • Ground sheet included

The Bora Air awning is a drive away inflatable awning for camper vans. Compact, light and, above all, drive away, you can go exploring the region around you while leaving the awning in place. Very practical if you are staying in one place for several days.

Large space of almost 12 m², ideal for hosting and making the most of each stage of your journey. It is equipped with a large rear door to access your vehicle through the connecting tunnel. The sides are detachable with large windows equipped with blackout internal panels.

The front has a canopy to protect the entrance during bad weather. It can be rolled to the side or into a half-panel to create an additional door to the right. For better ventilation, the front and back walls are equipped with blackout internal panels on the upper part of large closing mosquito nets. The awning is supplied with a clip-on and detachable ground sheet so you can use it whenever you want. It is recommended for use in summer; it is also quick and easy to install.

Designed for vehicles with an installation height of between 230 cm and 295 cm. To adapt it to the height of your vehicle, adjust the internal and external straps on the connecting tunnel.

Dimensions: 300 cm x 390 cm (300 cm + tunnel of 90 cm).

Attach the connecting tunnel to your awning's or vehicle's rail. If your vehicle does not have a rail, you can attach a stick-on rail (optional) to the wall.

When using a drive away awning, consider the optional drive away awning kit. Length of the snap ring : 310 cm.

Multi-point inflatable structure. No flap. Double snap ring (4.5 mm and 7 mm) in order to adapt to the majority of awning rails.

Weight: 20 kg. Height: 180/220 cm. Manual pump and storage bag are included.

855570



Front door



Rear wall with door for access to your vehicle



Inflatable structure



Use as a drive away awning



Use as a drive away awning



Motorhome



Awning
BORA AIR

Polyester

300 x 390 cm



Mobile shelter
ALIZÉ AIR



INFLATABLE AWNINGS

• Quick and easy to set up. Ultra compact when folded into the bag (70 x 30 x 30 cm). Light: only 12 kg. • Ground sheet included

A multipurpose inflatable shelter that can be used both as an external shelter, tent or awning for vans.

To transform your shelter into a real awning for a minivan, just pull the rear wall above your vehicle and fasten it to the ground using the anchoring cords. Thanks to a system of gussets, it will be connected directly to your minivan. Suitable for minivans with heights varying between 180 cm and 210 cm.

To make use of shaded additional space, the front panel can be lifted and projected thanks to a set of two poles (included). The left side is fitted with a mosquito net on the upper part + external panel. The right side can be raised with a large clear window + internal panel.

With a ground sheet and storage bag. Manual pump not included.

Dim. (W x L): 250 cm x 250 cm Height: 210/225 cm. Material: polyester. Dim. of bag: 70 x 30 x 30 cm. Weight: 12 kg..

855580



Front projection masts supplied



Use as a drive away awning



NEW

Manual pump for awning SummerLine
Recommended for tents and inflatable awnings.

855587 £19,90



Camper Van

Short
summer
break

Summer
Line

NEW

Awning
ALIZÉ AIR

Polyester

250 x 250 cm





INFLATABLE AWNINGS

- Quick and easy to set up. • Superior quality canvas.
- Lightweight: totally inflatable structure.

Awning **ADVENTURER AIR**

Polyester All Season

340 x 350 cm



Camper Van

Long Breaks
Spring
Summer



Top of the range inflatable canopy, quick and easy to set up. Adjustable for vans of varying heights and mounting between 180 and 295 cm. The height of the rear tunnel is adjustable in order to fit all types of vehicles perfectly.

Frontage is part see-through (lower portion), part mosquito screen (upper portion). Each side is fitted with a large mosquito screen for an optimal interior climate. You can lower the see-through window for protection during heavy winds or rain while still retaining a pleasant level of light. Each window is fitted with external shutters for privacy and to protect against heat. An entrance on each end of the connecting tunnel.

Material: All Season SR17 Polyester. Depth: 350 cm. Depth of the tunnel: 130 cm. Rear width at the roof: 210 cm. Rear width at ground level: 340 cm. Pump included.

The rear tunnel connects easily to your vehicle in a number of ways:

- On the rail installed on your vehicle.
 - On your awning rail (a double snap ring 4.5 and 7 mm in diameter is supplied as standard to adapt to most awning rails).
 - Using the anchor cables attached at the upper corners of the tunnel. All you need to do is throw them over the top of the vehicle and anchor them to the ground on the other side or attach them firmly to the wheels. You can also attach them to suction cups (optional) positioned on the roof of your vehicle.
- Available in three sizes to suit a range of vehicle heights.



Inflatable awning Adventurer Air SummerLine			
Connection height	Length of the roof (beading)	Length of the ground	Ref./Price
180 - 210 cm	210 cm	340 cm	855456
210 - 235 cm	210 cm	340 cm	855457
235 - 285 cm	210 cm	340 cm	855458

Quickfit EasyLink universal awning assembly kit 4.00 m
Necessary for the installing your Quickfit and Easylink environment if you have a wall-mounted awning.

Color	Ref./Price
White	740197
Anthracite	740198

Ready to retail

Delivered with 2 finishing tips



INFLATABLE AWNINGS

• Go out in your vehicle and leave your awning in place.



Drive away awning

The Barrani Air awning is a drive away, high-quality, inflatable awning that is quick and easy to install. Designed to be set up along the side of your van, it provides a substantial 10 m² of additional living space without exceeding your space. Thanks to its drive away design, you no longer need to fold it up and put your belongings away in your vehicle while you leave the campsite for a day out, for example. The included dividing wall allows you to partition your awning and create a multi-functional space, such as a sleeping area + living room.

Features:
Available in two assembly heights. The arches are interlinked which enables you to inflate the awning from a single point. The awning connects to your vehicle by a connection tunnel fixed to the rail of your awning or a rail on the side of your vehicle. If your vehicle does not have the original rail, you can


attach a (stick-on) rail to the side of your vehicle. To use in drive-away awning, it's necessary to add the drive-away kit (optional). The detachable sides provide the option to attach an annex on either side. Each side is fitted with an entrance door (mesh + polyester fabric). 3 roll-up front panels allow the front entrance. Allow front entry.

Awning dimensions:
Length: 3.90 m. Depth: 2.70 m.

Materials: All Season coated polyester. Manual pump included. Available in two assembly heights. Improve your comfort under your awning with the many options available.



Connecting tunnel allowing direct access to the vehicle



Connected air tubes. Single inflation point



Drive away Barrani Air SummerLine

Connection height	Awning Length cm	Awning Depth cm	Tunnel Length cm	Tunnel Depth cm	Ref./Price
180-210 cm	390	270	115	85	855565
240-295 cm	390	270	245	130	855566



Awning
BARRANI AIR
Polyester All Season

390 x 270 cm

Available in two assembly heights



INFLATABLE AWNINGS

• Go out in your vehicle and leave your awning in place.

The Liberty Air awning is a top-of-the-range drive away, inflatable awning that is quick and easy to set up. It has been designed to fit several camper vans and allows you to leave your awning in place while you explore the region around you.

It comes in three lengths so as to adapt to your needs. The detachable sides give the option to widen your space by adding an additional room on either side. Each side has an entrance and a mosquito net to encourage ventilation while protecting against insects.

Roll-up front panels form the front entrance (2 panels on the 260 and 330 models, 3 panels on the 390 model). Improve comfort under your awning using the many options available.

Features:

Suited to vehicles with an installation height between 230 cm and 295 cm.

The arches are interlinked to enable you to inflate the awning from a single point.

It is connected to the vehicle by a connecting tunnel and the drive away awning kit option allows you to go out in your vehicle and leave your awning in place.

The connecting tunnel is fitted with a double snap ring that can be installed on the rail of your awning or on a stick-on rail that attaches to the side of the vehicle (under the awning if you have one).

We recommend installing a stick-on rail to protect your awning (ref. 740197).

Material: All Season polyester coating. Double-action manual pump included.



Connected air tubes single inflation point



Use as a drive-away awning



High brightness

DRIVE AWAY AWNING KIT

An essential item if you want to travel with your vehicle and leave your awning in place.

To set up:

- 1) Insert the snap ring into the rail of your vehicle,
- 2) Slide the plastic rods onto the other snap ring,
- 3) Slide the snap ring of your awning onto the free side of the rods.


Then simply take off the plastic rods to remove the awning from your vehicle..

Drive away awning kit 3 m
855536 _____ £18,00

Drive away awning kit 4 m
855537 _____ £21,00

Auvent indépendant Liberty Air SummerLine

Connection heigh	Awning length cm	Awning Depth cm	Tunnel Depth cm	Ref/Price
230-295 cm	330	250	90	855525
230-295 cm	390	250	90	855526
230-295 cm	260	250	90	855539



Camper Van

260



Motorhome

260, 330, 390



Long Breaks
Spring
Summer

Available in 3 sizes





Camper Van

UNIVERSAL AWNINGS



Camper Van

Summer Line

Awning HIKING

Polyester

235 x 235 cm
+ Tunnel 135 cm

SPECIAL-HATCH UNIVERSAL HIKING AWNING - Go out in your vehicle and leave your awning in place.



Go out in your vehicle and leave your awning in place



Set of 2 poles supplied



Interior blackout curtains on all windows. Ideal for changing out of sight



Our tip for Hiking

As it is light and small, you can take it everywhere with you. Perfect for weekend adventures in summer.

Special-hatch drive away awning Ideal if you wish to go out in your vehicle and leave your awning in place.

Design: roll-up front and sides with glass-effect windows fitted with interior blackout flaps for privacy. The front can be extended with the set of 2 poles supplied.

Ventilation: fly screen on the roof and on the lower part of the sides. Access door on each side of the connection tunnel. Guy ropes, transport and storage cover supplied.

Suitable for hatchback vehicles (vans, 4x4 and SUVs) with an installation height (height from the ground the upper part of the hatchback) of between 160 cm and 210 cm.

Attachment: simply open the back door and clip the plastic connectors onto the hatch.

Awning dimensions: 235 x 235 cm. Length of back tunnel: 135 cm. Height of the awning: 200 cm/240 cm.


Fabric material: polyester. Frame composition: Fibreglass + steel. Weight: 13 kg.

855534 £279,00



Short summer break

INFLATABLE AWNINGS CARAVAN



Partial awning
SIROCCO AIR



INFLATABLE AWNINGS

- Single-point inflation • Quick and easy to set up.
- Carefully crafted finishing and details.



HOW TO CHOOSE THE RIGHT SIZE for your inflatable awning

PARTIAL AWNINGS

Partial awnings do not cover the entirety of the caravan. To choose the best size :

- First of all, check that the installation height (height from the ground to the caravan rail) matches the manufacturing standard for caravans. This height must be between 235 cm and 250 cm and if this is not the case, contact your seller, who will advise you on the compatible models.

1 - Then measure the length of the straight rail (A) at the roof. This measurement determines the maximum length of the awning. For a Libeccio 390 awning, you would therefore need at least 390 cm of straight rail.

2 - Lastly, check that the distance between the edge of the door and the end of the straight rail is more than 25 cm in order to put in rain excluders that are placed against the wall of the caravan. These excluders can be positioned on a window, and while they might obstruct use, they aren't damaging and will not affect the awning's performance



FULL AWNING

Check that your caravan is in normal usage conditions (not on blocks, or a wheel in a hole, wheels properly inflated, on flat, horizontal ground). Slide a cord into the rail of your caravan (helped with a groundhog peg) and slide the cord into the caravan rail to go from point A to point B vertically, as indicated in the diagram

Measure the cord and you will have additional coverage for the caravan. This additional coverage is linked to the awning size.

- 1 - Take the measurement of the coverage according to the diagram.
- 2 - Match the coverage to the sizes below.



Model Tivano

Size	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Développé en M	7,25 to 7,50	7,50 to 7,75	7,75 to 8,00	8,00 to 8,25	8,25 to 8,50	8,50 to 8,75	8,75 to 9,00	9,00 to 9,25	9,25 to 9,50	9,50 to 9,75	9,75 to 10,00	10,00 to 10,25	10,25 to 10,50	10,50 to 10,75	10,75 to 11,00



Partial awning



Full awning

Fall in love with the new generation single-point inflatable canopies. The arches are interlinked, meaning the canopy can be inflated from a single point.

The acrylic canvas creates a pleasant atmosphere under the canopy. Each side has an entrance with mosquito netting. Detachable front and sides with the option of adding an annex room on one or other of the sides. Available in 2 widths and 2 depths. Manual pump supplied.

Increase the comfort under your awning with the numerous optional extras: Tall or short annex, inner tent, balcony bar, storm strap, electric pump, lighting kit, inner tent, rear stability bars.

Material: Top of the range acrylic canvas 300 g/m².

Awning Sirocco Air Summerline

Length	Depth	Length of the roof (beading)	Front panel	Ref./Price
300 cm	250 cm	300 + 2 x 35 cm	2	855461
380 cm	280 cm	300 + 2 x 35 cm	3	855464



Acrylic

Presented with high annex and balcony bars in option



Frame on canopy



Single inflation point



Canvas to rot inside



Access door on each side

Partial awning LIBECCIO AIR PLUS

Single
Inflation
point

INFLATABLE AWNINGS

- Upgradable canopy • Single-point inflation.
- Quick and easy to set up.

Awning Libeccio Air Plus SummerLine

Fall in love with the range of single-point inflatable awnings. The arches are interlinked, meaning the canopy can be inflated from a single point. With the Libeccio model and its extensions, you can have a large canopy on a small caravan. Each extension (optional) increases length by 2.60 metres, while maintaining height. The 260 model can reach 7.80 metres, the 390 model can reach 9.10 metres. The roof lighting panels provide a comfortable level of light. The front panels are detachable. Entrance and mosquito net on each side. Manual pump included. For increased comfort, choose from the wide range of optional extras on offer.



Single inflation point

Depth : 3.00 metres.

Material : All-Season coated polyester.

Auvent Libeccio Air SummerLine

Longueur	Prof.	Longueur au toit (jonc)	Panneaux de façade	Réf./Prix
260 cm	300 cm	260 + 2 x 35 cm	2	855465P
390 cm	300 cm	390 + 2 x 35 cm	3	855466P



Roof light panel



Light panels that can be closed with blackout curtains



Model 260 shown with balcony bars in option

Extension Libeccio Air SummerLine

Large detachable front window. The rear panel includes a large clear window in the upper portion and a zipper on the lower polyester portion to allow access to the boot. The side is fitted with a mosquito net that can be covered with a clear window.

Material : All Season SR17 coated polyester.

Extension Libeccio Air SummerLine

Installation	Depth	Roof Length	Front panel	Ref/Price
on the left	220/300 cm	260 cm	I	855474
on the right	220/300 cm	260 cm	I	855475



Model 390 shown with left extension



Detachable extension front panel



Caravan

Long Breaks
Spring
Summer

NEW

Summer
Line

Awning
LIBECCIO
AIR PLUS

Polyester All Season



Full awning
TIVANO AIR

Single
Inflation
point

INFLATABLE AWNINGS

- Classic shaped awning with inflatable structure.
- Quick and easy to set up • Carefully crafted finishing and details

Fall in love with the range of single-point inflatable awnings. The arches are interlinked so the canopy can be inflated from a single point. Two additional ridge poles to set up starting from size 10.

Mounting in the caravan rail means that you will benefit from all the caravan's space.

DEPTH: 240 cm.

DESIGN : Front detachable in 2 parts. Detachable sides with the option of adding an annexe room on either side (ref. 855518). Each side consists of a top part made from mosquito netting covered by a clear pane. Interior flap. Curtains, lower skirt, wheel cover and pegs supplied.


MATERIALS : Roof: All Season fabric, coated polyester with interior printed side. Walls and front: All Season polyester-coated fabric.

STRUCTURE : Entirely inflatable, manual pump included.

SPECIAL FEATURES:

Framed cap.

OPTIONS: Annexe room, electric pump, specific lighting kit, balcony setup kit, anti-wind strap (ref. 811632).



Frame on canopy for a better support



Single inflation point

Summer
Line

Our tip for Tivano



Lightness, quickness and simplicity when setting up are the defining features that characterise Tivano. The frame is replaced by an inflatable structure that reduces the overall weight by around 30%. The single-point inflating system ensures quick and easy setting up and dismantling. Ideal for travelling in a caravan.

Depth cm	Size Measure	8	9	10	12	11	13	14	15	16	17	18
		8,25 to 8,50 m	8,50 to 8,75 m	8,75 to 9,00 m	9,00 to 9,25 m	9,25 to 9,50 m	9,50 to 9,75 m	9,75 to 10,00 m	10,00 to 10,25 m	10,25 to 10,50 m	10,50 to 10,75 m	10,75 to 11,00 m
240	Ref./ Price	TIVAIR2408	TIVAIR2409	TIVAIR24010	TIVAIR24011	TIVAIR24012	TIVAIR24013	TIVAIR24014	TIVAIR24015	TIVAIR24016	TIVAIR24017	TIVAIR24018



Caravan

Long Breaks
Spring
Summer

Summer
Line

Full Awning
TIVANO AIR

Polyester All Season



Shown with tall annex in option



Work out the size of your SummerLine awning **TRADITIONAL AWNINGS**

A closer look at SummerLine **AWNINGS**



CHOOSING THE RIGHT SIZE for your SummerLine awning

Ensure that your caravan is in normal conditions for use (not on chocks, or with a wheel in a hole, tyres properly inflated on flat, horizontal ground). Slide a string into the rail of your caravan (using a groundhog peg) and slide the string along to caravan rail from point A to point B, directly above, as shown in the diagram. Measure the string to get the coverage of the caravan.

This coverage is matched to the size of the awning. To be sure for certain, take the caravan registration document to your retailer!

- 1- Take the measurement of the coverage according to the diagram
- 2- Match the coverage to the sizes below



For extra security, bring your vehicle registration document to your dealer.

Referential A : Agate, Jade et Zircon models

Size	A-0	B-1	C-2	D-3	E-4	F-5	G-6	H-7	I-8	J-9	K-10	L-11	M-12	N-13
Measurement cm	6,65 to 7,00	7,01 to 7,35	7,36 to 7,70	7,71 to 8,05	8,06 to 8,40	8,41 to 8,75	8,76 to 9,10	9,11 to 9,45	9,46 to 9,80	9,81 to 10,15	10,16 to 10,50	10,51 to 10,85	10,86 to 11,20	11,21 to 11,55

Referential B : Onyx et Tivano models

Size	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Measurement cm	7,25 to 7,50	7,50 to 7,75	7,75 to 8,00	8,00 to 8,25	8,25 to 8,50	8,50 to 8,75	8,75 to 9,00	9,00 to 9,25	9,25 to 9,50	9,50 to 9,75	9,75 to 10,00	10,00 to 10,25	10,25 to 10,50	10,50 to 10,75	10,75 to 11,00





WHAT SIZE FOR YOUR GROUND SHEET?

Agate, Jade et Zircon models

Awning size	A-0	B-1	C-2	D-3	E-4	F-5	G-6	H-7	I-8	J-9	K-10	L-11	M-12	N-13
Ground sheet Length (m)	3,50	4,00	4,00	4,50	4,50	5,00	5,00	5,50	5,50	6,00	6,00	6,50	6,50	7,00

Onyx et Tivano models

Awning size	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Ground sheet Length (m)	3,50	4,00	4,00	4,50	4,50	5,00	5,00	5,50	5,50	6,00	6,00	6,50	6,50	7,00	7,00



The SummerLine collection of awnings is created and designed in France to meet all the needs of campers who are looking for additional space. Its research and development team wanted to devise products that guarantee your comfort for a happy holiday !

1 SummerLine easyFix plug hook:
Perfect installation of roof poles while ensuring that the caravan is protected. The tightening wheel makes it possible to position the hook directly in the desired place thanks to the twin beading without having to slide the length of the rail.

2 SummerLine quick clamping lever:
Use in place of butterfly screws. Instant and easy tension on the frame thanks to the lever operated by one hand.

3 Ground fastenings:
3.1 Ground ties for Jade, Agate and Zircon models: solid adjustable ties with elastic guy ropes for perfect tension.
3.2 Ground tie for Onyx, Tivano and Zéphiros models: very sturdy rubber ties.

4 Ventilation at the front:
All SummerLine awnings have several vents to reduce the risk of condensation and to maintain continuous airflow in your awning.

5 Interior flap:
Putting down a ground sheet above the flap for better protection against air currents.

6 Balcony bar pocket at the side:
Pocket providing space for a balcony bar in order to create an opening on the sides of the awning.



- **Materials adapted to each use**
- **A meticulous finish, finely crafted details**



ONYX Awning

The BENEFITS

- Unique modern design.
- Polyester coated fabric, flap on each opening.
- Framed cap for all sizes.
- Interior flap: enhanced protection and aesthetics.

Coated polyester

DEPTH: 2.40, 2.70 or 3.00 metres.

DESIGN: Detachable front in 2 pieces. Detachable and changeable sides with the option to attach an additional room (ref. 850433) to either side. Half-clear, half-mosquito net screen sides with a clear pane.

Interior flap: enhanced protection and aesthetics. Anti-wind straps attached for additional protection against strong winds (strap optional: ref. 811632).

MATERIALS: Roof: All Season coated polyester canvas, interior imprinted side. Front and walls: Coated polyester canvas. Coated bottom: PVC. Interior flap: PVC.

FRAME: Steel diam. 25 mm with easyFix plug hooks and quick clamping levers.

SPECIAL FEATURES: Panes on all of the windows. Customised ground hooks. Framed cap on all sizes.


OPTIONS: Additional room, interior room, balcony setup kit, reinforcing ridges, LED lighting kit.



Bright and well-ventilated



Shutters on all windows



Articulated corners



Storm vanning



Heavy-duty floor ties



Caravan

Long Breaks
Spring
Summer

Summer
Line

Awning
ONYX

Polyester All Season



OUR TIP

The use of quality materials and carefully crafted finishings in this awning provide a feeling of well-being

The panels allow you to take full advantage of your holidays while maintaining your privacy

Depth cm	Size Measurement	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
240	Ref./Price	ONYX2404	ONYX2405	ONYX2406	ONYX2407	ONYX2408	ONYX2409	ONYX24010	ONYX24011	ONYX24012	ONYX24013	ONYX24014	ONYX24015	ONYX24016	ONYX24017	ONYX24018
270	Ref./Price	ONYX2704	ONYX2705	ONYX2706	ONYX2707	ONYX2708	ONYX2709	ONYX27010	ONYX27011	ONYX27012	ONYX27013	ONYX27014	ONYX27015	ONYX27016	ONYX27017	ONYX27018
300	Ref./Price	ONYX3004	ONYX3005	ONYX3006	ONYX3007	ONYX3008	ONYX3009	ONYX30010	ONYX30011	ONYX30012	ONYX30013	ONYX30014	ONYX30015	ONYX30016	ONYX30017	ONYX30018

ZIRCON Awning

The BENEFITS

- 4 seasons PVC fabric
- Awning included
- Easy to clean
- Front and left side panes
- Framed cap..

PVC

DEPTH: 2,70 metres.

DESIGN: Detachable front in 2 parts. Detachable and switching sides with the option of attaching an additional room (ref. 850423) on either side. The left side has a clear PVC window, the right side has a cathedral window on the lower part and insect screen with a cathedral pane on the upper part. Covers on all of the windows. Interior flap.

MATERIALS:

Roof: double-sided coated PVC canvas.
Front and walls: double-sided coated PVC canvas.
Coated bottom: PVC. Canvas to rot: PVC.

FRAME:

Steel, 25 mm diameter with EasyFix hook plugs and quick clamping levers.

SPECIAL FEATURES:

Shutters on all windows. Framed cap for all sizes. Roof lining supplied. 2 bars to prevent water pockets included for sizes 8 to 13.

OPTIONS:

Annexe room, interior bedroom, balcony setup kit, reinforcement ridges and LED lighting kit.

OUR TIP



Sturdy and easy to maintain, this is the ideal awning for long trips and exposure under softwood trees.

Depth cm	Size Measurement	C-2	D-3	E-4	F-5	G-6	H-7	I-8	J-9	K-10	L-11	M-12	N-13
270	Ref./Price	ZIRC2702	ZIRC2703V	ZIRC2704V	ZIRC2705V	ZIRC2706V	ZIRC2707V	ZIRC2708V	ZIRC2709V	ZIRC27010V	ZIRC27011V	ZIRC27012V	ZIRC27013V



Caravan



Summer Line



Summer Line



Caravan

Long Breaks Spring Summer



JADE Awning

The BENEFITS

- Carefully crafted finishing and details.
- High-end breathable fabric, anti-UV treated polyester roof.
- Interior flap: enhanced protection and aesthetics

Acrylic

DEPTH: 2.70 meters at your choice.

DESIGN:

Detachable front in 2 parts. Detachable and switching sides with the option of attaching an additional room (ref. 850423) on either side. The left side has a clear PVC window and opaque PVC, the right side has a cathedral window on the lower part and insect screen with a cathedral pane on the upper part. Interior canvas to rot: better protection and appearance.

MATERIALS:

Roof: anti-UV treated polyester canvas, interior imprinted side. Front and walls: acrylic canvas. Coated bottom: PVC. Interior flap: PVC.

FRAME:

Steel, 25 mm diameter with EasyFix hook plugs and quick clamping lever.

SPECIAL FEATURES:

2 bars to prevent water pockets included for sizes 8 to 13.
Framed cap for sizes 6 to 13.

OPTIONS:

Annexe room, interior bedroom, balcony bar, reinforcement poles and LED lighting kit.

OUR TIP



The acrylic fabric and the anti-UV treated roof offer a pleasant temperature under the awning. In summer, it is cooler and in-between seasons, there are fewer variations in temperature. Ideal for use in spring/summer.

Depth cm	Size Measurement	A-0	B-1	C-2	D-3	E-4	F-5	G-6	H-7	I-8	J-9	K-10	L-11	M-12	N-13
270	Ref./Price	JADE2700	JADE2701	JADE2702	JADE2703	JADE2704	JADE2705	JADE2706	JADE2707	JADE2708	JADE2709	JADE27010	JADE27011	JADE27012	JADE27013

AGATE Awning

The BENEFITS

- Refined style. All detachable
- Interior flap: enhanced protection and aesthetics
- Framed cap in sizes 6 to 13

Polyester

DEPTH:
2.70 m

CONCEPTION:

Vertical front, detachable in 2 parts. Ventilation by screen adjustable by zipper. 2 doors. 2 big windows in clear PVC. Detachable and swappable walls: 1 side with clear PVC window, 1 side with cathedral window on the lower part and screen with cathedral pane on the upper part. Option of attaching an extra room (Ref. 850423) on either side. 2 doors on each side. Interior canvas to rot for better protection (avoid drafts) and appearance.

MATERIALS:

Roof: Polyester canvas, Interior imprinted side. Front and sides: polyester. Bottom: PVC. Canvas to rot: PVC.

ARMATURE:

Steel frame diam.: 25 mm. EasyFix hook plugs and quick clamping lever.

SPECIAL FEATURES:

2 bars to prevent water pockets included for sizes 8 to 13. Framed cap for sizes 6 to 13.

OPTIONS:

Annexe room, interior bedroom, balcony bar, reinforcement poles.

OUR TIP

Ideal for short trips! Installation is easy thanks to the light canvas, as well as the detachable sides and front.



Caravan

Short summer break



Depth cm	Size	A-0	B-1	C-2	D-3	E-4	F-5	G-6	H-7	I-8	J-9	K-10	L-11	M-12	N-13
	Measurement	6,65 to 7,00 m	7,01 to 7,35 m	7,36 to 7,70 m	7,71 to 8,05 m	8,06 to 8,40 m	8,41 to 8,75 m	8,76 to 9,10 m	9,11 to 9,45 m	9,47 to 9,80 m	9,81 to 10,15 m	10,16 to 10,50 m	10,51 to 10,85 m	10,86 to 11,20 m	11,21 to 11,55 m
270	Ref./Price	AGAT2700	AGAT2701	AGAT2702	AGAT2703	AGAT2704	AGAT2705	AGAT2706	AGAT2707	AGAT2708	AGAT2709	AGAT27010	AGAT27011	AGAT27012	AGAT27013

Summer Line

ANNEXES TRADITIONNAL AWNINGS

Enlarge your living space !



Caravan



Polyester

200 x 187 cm

Onyx SummerLine awning annex

An additional room to create more space under your awing. Use as a kitchen area, washroom, store or even a sleeping area thanks to the inner tent Ref. 850405 option. Exterior access door, screen which can be closed with a cathedral pane. Storm strap optional (ref. 811632). Suitable for Onyx.

Polyester: walls 210 g/m2, polyester roof 280 g/m2. Steel frame diam.: 25 mm. Dim. (L x D): 200 x 187 cm. Interior canvas to rot.

850433



Exterior access door



Windbelt clip

Interior flap awning annex SummerLine

An additional room to create more space under your canopy. Use as a kitchen area, washroom, store or even a sleeping area thanks to the inner tent Ref. 850405 option. Large screen which can be closed with a cathedral pane. Suitable for SummerLine awnings Agate, Jade and Zircon. Material: Polyester. Steel frame diam.: 19 mm. Dim. (L x D): 200 x 150 cm. Interior canvas to rot.

850423



Polyester

200 x 150 cm

Interior bedroom for annex SummerLine

To make your annex a pleasant sleeping area. Door with double slider zippers. Mount the annex room to the frame with clips. Adjustable straps. Screen ventilation. With waterproof and washable sewn-in PVC coated ground sheets. Taut to the ground thanks to the buckles situated at each corner under the bedroom and the groundhog pegs supplied. In ventilated cotton fabric 120 g/m2.

Dim. (L x D): 190 x 140 cm.

850405



ANNEXES inflatable awnings



Coated polyester
All Season

Pampéo Sporty Annex Bottom SummerLine
Specifically designed as a bedroom, the interior room is supplied as standard.
Matière : Coated polyester all Season
855473



ventilation



Inner tent included



Interior room annex SummerLine
To make your annex a pleasant sleeping area.

Compatibility	Ref./Price
Annex Sirocco, Pampeo, Zonda and Sporty Air	855472
Annex luxe Tivano Air	855578



Inflatable awning interior room SummerLine
Creates a pleasant sleeping area inside your awning.
855487

ANNEXES inflatable awnings

Tall Annexe SummerLine

An additional room to create more space under your awning. Can be used as a kitchen area, storage space or even a sleeping area. Perfect for hosting guests. Inflatable structure. Exterior entrance. Mosquito netting with blackout blind. Includes dividing wall.

Material	Size cm	Separating wall	Interior room	Barrani Air	Liberty Air	Pampeo / Sporty Air	Sirocco Air	Tivano Air	Zonda Air
Acrylic	210 x 180	Included	Option				855471		855586
Polyester	210 x 180	Included	Option			855535			
Polyester	225 x 180	Included	Included	855579	855561				
Polyester	210 x 180	Non	Non					855518	
Polyester	220 x 180	Included	Option					855577	



Annex Tivano



Annex Zonda



Separating wall



Opening of the partition wall by zip fastener



Exterior access door

ACCESSORIES traditionnal awnings

ACCESSORIES inflatable awnings

Quick clamping lever diam. 25 mm SummerLine

Tube clamping system replaces the butterfly nuts. Ensures instant and easy tension on the awning thanks to the lever operated by one hand.
Diam.: 25 mm. Pack of 3.

840079



EasyFix Plug-hook SummerLine

Mounting system replaces the suction cups. Provides the best grip of the ridges and easy mounting while protecting the caravan. A tightening wheel makes it possible to position the hook directly in the desired place without having to slide the length of the grommet.
Pack of 3

840077



Hook for roof pole SummerLine

Plastic hook to slip onto tubes with a diameter of 22 mm. Clips onto other frame parts with a diameter of 25 mm.
Pack of 3.

840080



Reinforcement ridge SummerLine

Intermediary ridge reinforces the roof frame. Clips on the front of the awning frame and slides in the caravan side plug-hook supports. Suitable for awnings with a depth of 240 to 300 cm.
In steel, diameter 25 mm with quick clamping lever.

811021



SummerLine Balcony bar

Bar for lowering an awning panel horizontally to create an opening.
Diam. 19/22 mm
SummerLine quick clamping lever.

■ Side of awning:

Only possible on awnings with detachable sides equipped with 2 sliders and the pocket to accommodate the side pole plug. Composed of sliding tubes, 1 plug and 1 hook clamp.
Extendable 2.20 m to 3.10 m. Suitable for the SummerLine awning depths 240 cm, 270 cm and 300 cm.

811019

■ Front of awning:

Only possible on awnings with detachable front in 2 parts. Composed of sliding tubes and 2 hook clamps.
Extendable 1.10 m to 3.9 m. Suitable for all brands of awning.

811020



1 plug + 1 hook



2 hooks

Anti water pocket bar SummerLine

Component to add to the awning frame to prevent the occurrence of water pockets. Also creates a better grip for the awning. Fixes to the roof tubes thanks to the hook-clips found at each end of the anti-pocket bar. Made from steel, fits on the SummerLine and Midland awnings size 0 to 13.

811609



Roof lining SummerLine

A piece of additional fabric attached to the interior awning roof allowing temperature regulation and limiting condensation. Creates a sense of wellbeing under your awning. It also provides an aesthetic feature as it can conceal the roof hoops..




Compatibility	Ref./Price
Libeccio 260	855476
Libeccio 390	855477
Liberty Air 260	855540
Liberty Air 330	855529
Liberty Air 390	855530
Pampéo 235-250 and 250-265 cm	855478
Pampéo 265-280 and 280-295 cm	855522
Barrani	855567



Storage strap for awning SummerLine

A side strap to fasten the awning to the ground thanks to a set of 2 straps with a fast opening buckle. Additional protection against strong winds. Pack of 2.

Compatibility	Color	Ref./Price
Adventurer, Libeccio, Sirocco, Pampeo, Zonda	Vert	855479
Onyx, Tivano, Zéphiros	Noir	811632



Drive-away awning kit SummerLine

An essential item if you want to travel with your vehicle and leave your awning in place

- 1) Insert the rail on your vehicle,
- 2) Slide the plastic rods onto the other beading,
- 3) Slide the beading of your awning over the free side of the sticks.

Then simply remove the plastic rods to disconnect the awning from your vehicle.


Length	Ref./Price
3 mètres	855536
4 mètres	855537



Use on vehicle mounted rail



Use on a rail installed in the blind



Kit ring

Rod

Awning's ring

Universal mounting kit 4.00 m

Rail to be glued to your vehicle (under your awning if you have one) in order to install your awning. For effective bonding, we recommend using Sikaflex 512 sealant.

Color	Ref./Price
White	740197
Anthracite	740198



Suction cups

To be positioned on the roof of the vehicle to attach the awning straps on camper vans and motorhome.

Pack of 2.

855290



Balcony bar SummerLine

Bar allows an awning panel to be lowered horizontally in order to create a high opening. Ideal for ventilating the space while preserving your privacy. Auto-gripping installation strap.

Compatibility	Positioning	Steel	Gonflable
Libeccio - Sporty	Front panel		855490
Liberty 260 and 390	Front panel		855560
Liberty 300	Front panel		855531
Pampéo	Side		855486
Pampéo	Middle		855485
Sirocco 300	Front panel		855483
Sirocco 380	Front panel		855484
Tivano taille 6 to 9	Front panel	855573	
Tivano taille 10 to 13	Front panel	855574	
Tivano taille 14 to 17 + côtés toutes tailles	Panneaux de façade (t 14 à 17) ou côtés toutes tailles	855575	
Tivano taille 18 to 22	Front panel	855576	



Zéphiros/Tivano reinforcing pole SummerLine

Additional mast to be installed in the front to reinforce the stability of the structure.

Pack of 2.

855572




Back bar support (x2) Airtube SummerLine

Additional reinforcement which allows you to push the sealing ring against the wall of the vehicle.

Pack of 2.

855328



12 volt electric pump SummerLine

With an LCD screen with pre-set pressure, this can be used to both inflate and deflate your awning. When inflating, the pump automatically stops as soon as the pressure reaches the predefined value. When you wish to deflate the awning, use the pump's deflating mode to empty the air inside in order to facilitate the folding and storage of your product.

855480



Manual pump for SummerLine Awning

Recommended for inflatable tents and awnings.

855587



Suction cup plug SummerLine

Use with the back support bar to ensure the awning is pressed firmly against the wall of the vehicle.

Set of 10.

855488



Drilling tool for suction cup SummerLine

Tool which allows you to pierce the fabric in order to make space for the suction cup plug.

855489



Eva PAD SummerLine

Eva Pads are recommended when you install your awning in the rail of your wall awning to bridge the gap between the awning and your vehicle.

Set of 6

855571



3 methods for installing the lighting system:

a) By inserting the luminous strips in the plastic nozzles of your inflatable SummerLine awning (ask your vendor about compatibility).



b) By attaching the clips supplied on the frame of your traditional awning.



c) By attaching the luminous strips with the Velcro supplied.



1-2 LED lighting SummerLine

Specially designed for awnings, the low energy LED bulbs offer excellent light levels.

1 LED lighting rails kit

With power socket.

855481



2 Additional rails extension kit

Without power socket.

855482



PEGS FOR VERY HARD GROUND

1 ▶ Tent peg with steel hook
Pegs for very hard ground. Diam. 7 mm. Set of 10

Length cm	Ref./Price
23	110030
30	110031

2 ▶ Piquet-roche en acier
Peg for very hard ground. Set of 10.

Length cm	Ref./Price
17	110032
23	110050

3 ▶ Piquet de tente tirol
Peg for very hard ground. Set of 5.

Length cm	Ref./Price
25	110046
30	110047


4 ▶ Steel "T" pegs
Peg for very hard ground. Per item.

Length cm	Ref./Price
30	110033
40	110034

5 ▶ Plastic nail peg 25 cm
Peg for very hard ground. Length: 25 cm. Set of 5.
110043

6 ▶ Mammoth steel peg
Peg for very hard ground. Set of 2.

Length cm	Ref./Price
30	110035
40	110036



PEGS FOR MIXED GROUND

7 ▶ Chrome dog lead peg; length 40 cm
Peg for mixed ground. Per item.
110037

8 ▶ Steel angle peg
egs for mixed ground.

Length cm	Quantity	Ref./Price
24	Set of 10	110018
30	Per item	110029
45	Per item	110045

9 ▶ Twisted peg
Peg for mixed ground. For a better grip in the ground. Easy to remove by turning. Length: 20 cm.
110020

PEGS FOR SAND

10 ▶ Aluminium angle peg
Peg for sand and snow. The piece.


Length cm	Ref./Price
33	110039
50	110041

11 ▶ Tent peg with steel hook
Peg for sand and snow. Diam. 4 mm. Set of 10.

Length cm	Ref./Price
18	110015
24	110023
30	111028

12 ▶ Plastic cross-shaped peg length 20 cm
Peg for sand and snow. Set of 4.
110013

13 ▶ Plastic peg length 58 cm
Pegs for sand. Set of 2.
110012




14 ▶ Rubber band length 80 mm
Set of 10. 110065

15 ▶ Elastic length 115 mm
Set of 10. 110115

16 ▶ Elastic length 160 mm
Set of 10. 110160

17 ▶ Rubber band length 230 mm
Set of 10. 110155

18 ▶ Elastic buckle for the bottom of the tent
Set of 6. 110106



19 ▶ S-shaped rope tensioner with cord
Set of 2.

3 holes. Length: 4 meters. Diameter: 3 mm..
112500

20 ▶ Male and female stud
With installation tools. Set of 12.
111201

21 ▶ Universal wheel cover
Essential for preventing air currents. Suitable for all types of caravan. Available in sizes 75 cm or 150 cm.

Length cm	Ref./Price
75	839932
150	839931

22 ▶ Awning skirt
Color: grey. Height : 50 cm.

Long. m	Ref./Price
3	810068
4	810069
5	810070



1 ▶ Securing straps for awning Summerline
2 straps with snap hooks adapted for use on awnings fitted with eyelets. Length can be adjusted up to 3m30 with the buckle fastener. Each strap consists of a tension spring on the lower part to absorb gusts of wind, a reinforced "all-terrain" peg and colourful reflective stripes to prevent tripping both at day and at night. Storage bag included.
729999



THE MOST

- Universal straps.
- Optimal adjustment and adaptation on all terrain.
- Reflective components to prevent a trip hazard.
- Very strong




2 ▶ Adjustable peg pull
For pulling pegs effortlessly. Ergonomic handle. Anti-rust steel tube. Easy to use hook. Patented locking and clamping system.
810055




3 ▶ Double-edge snap ring for awnings
The double edge makes it possible for the snap ring to be slid onto the caravan rail and to attach the hook plugs.
810366




4 ▶ Anti-wind fastening strap
For canopies or awnings. The kit includes an 11 m black strap, pegs and tension springs. Can be adapted for awnings or canopies up to 6 m.
730100



5 ▶ Protective gusset Haba
Gusset to protect the fabric of your canopy or awning from rubbing from the anti-wind strap. Compatible with ref. 730100..
730301



6 ▶ 2.50 m aluminium rail
Interior diameter: 9 mm.
810005



7 ▶ Silicone for awning rail
Very practical for sliding the awning grommet easily and effortlessly in the caravan rail.
810010



8 ▶ Reproofing cloth
Reproofing liquid spray. Makes the fabric waterproof and resistant to mould. Capacity : 500 ml.

Material	Ref./Price
synthetic	861005
cotton	861006



9 ▶ Peg pulls
Use to easily and effortlessly pull pegs out of the groundl.
810054



10 ▶ Rubber mallet
With an oval metal bichromate handle and peg pulls at the end of the handle.
850030



11 ▶ Camping dustpan
Folds and has a nylon handle and steel pan.
850000



LED insect zapper lamp CAO

Waterproof camping lantern with 3 types of lighting: 180 lumens, 90 lumens and 30 lumens and 3 types of LED lamp function to have it either stationary or hanging up and a UV insect zapper lamp. Can be used either indoors or outdoors!

Height 13 cm - Diameter 8.8 cm - Material ABS - 3 ultraviolet LEDs 4 x 0.06 W - Battery life 4 h (at 180 lumens) - 20 h (at 30 lumens) / 30 h in insect-zapper mode - Lithium battery 2000 mAh/3.7 V included - Rechargeable (3 h) using USB cable (included).

863046



NEW

3 LED ball lamp CAO

Compact lantern with a rounded design and 5 types of lighting: 150 lumens, 75 lumens, 45 lumens, indicator and SOS function. 2 functions: a magnetic part underneath to stabilise the lamp and a snap hook to suspend it or attach it to the ring.

Height 3.7 cm - Diameter 6.6 cm - ABS material - 3 LED - Battery life 5 h - Batteries LR03 (AAA) 1.5 V x 3 not included.

863048



"CAMP" lantern CAO

A waterproof camping lantern that is ideal for providing light to a group in the great outdoors, with a handle and hook to carry or hang it up. With LED functions and red indicator lights.

Height 22 cm - Diameter 10.5 cm - LED 65W COB - Lumens 450 - Battery life 1093 h - Batteries LR20 (D) 1.5 V x 3 not included.

863043



Anti-mosquito lamp

No need to cover yourself in lemongrass to keep away mosquitos! This ultraviolet lamp is like a magnet for attracting insects and mosquitos, which are then killed in contact with the electrical grid. Sit on a table or hang from a bracket. Voltage: 220 V.


086164



Parasol camping lamp SummerLine

Ingenious double-fit system: suspension hook or powerful built-in magnet. 3 lighting modes: 3 LEDs, 20 LEDs or 23 LEDs Up to 20 hours of battery life in the 23-LED mode. Up to 120 hours of battery life in the 3-LED nightlight mode. Remote control included. Power supply: 4 AA batteries (not included)

100204



12-volt/220-volt silicon lamp

Elegant LED lamp with adjustable light that makes it possible to create the ideal ambiance during your camping trips. The intensity, which can be adjusted to six different positions (from 10% to 100%), can create an ambiance ranging from warm and bright to subdued and intimate. Optimum storage once the shade is folded. Voltage : 12-volt/220-volt, 45 LEDs. Power : 9 W. Includes: 12-volt and 220-volt adapter (cable length: 5 m), hanging hook and remote control.

Diameter : 175 mm. Height when the shade is unfolded: 105 mm. Height when the shade is folded: 40 mm.

863040



Very compact when folded



Hanging tube lamp SummerLine

Hanging tube lamp, 150 LED. Includes 2 installation methods: 2 hooks to clip to the awning frame (diam. 22/25 mm) and 2 "S" hooks (diam. 35 mm) to adapt to the other brackets. Touch-controlled switch: touch once to switch on, twice to turn off, press continuously to soften the light. With 2 cables (length: 5 m) for 12-volt or 220-volt power supply. ON-OFF touch-controlled power switch. Length: 100 cm. Low energy consumption (12 W).

100114

NEW



S hooks



Clip-on hooks



Alimentation 220 volts



Alimentation 12 volts

Summer Line



Caravan

Long Breaks
Spring
Summer

Quick and easy to set up



Camper Van



Suitable for caravans and vans with a height of between 1.80 and 2.50 metres.

Polyester All Season

MATERIAL : Coated polyester 280 g/m².

DEPTH: 250 cm. Includes aluminium poles (adjustable from 1.80 to 2.50m) and fixing straps.

Length cm	Ref./Price
240	851389
300	851390
360	851391
400	851392



Aluminium poles adjustable in height



Straps supplied

OUR TIP




Essential for short stays when you don't want to erect an entire awning.



Maximum durability and comfort. 500 g/m²

PVC ground sheet

Durable. Comfortable. Breathable (drains off water). Non-slip. Can be cut without fraying. Light. Easy to clean. Fireproof. UV resistant. Very high-quality ground sheet adapted for caravanning. Thanks to the weaving technique, it can be cut without fraying to adapt it perfectly to your needs. Durable in all tests. Easy to maintain. Made without phthalates (dangerous to health if ingested). Weight: 500 g/m². Storage bag included



Size (WxP) cm	Color	Ref./Price
300 x 250	Black	853837
350 x 250	Black	853838
400 x 250	Black	853839
450 x 250	Black	853840
500 x 250	Black	853841
550 x 250	Black	853842
600 x 250	Black	853843
700 x 250	Black	853844
300 x 300	Black	853845
350 x 300	Black	853846
400 x 300	Black	853847
450 x 300	Black	853848
500 x 300	Black	853849
550 x 300	Black	853850
600 x 300	Black	853851
650 x 300	Black	853852
700 x 300	Black	853853
200 x 200	Black	853855

THE MOST

- Durable. Comfortable.
- Breathable (drains off water)
- Non-slip.
- Can be cut without fraying
- Light.
- Easy to clean.
- Fireproof.
- UV resistant.



Graphik Floor-MAT ground sheet Midland

Create a real living space under your awning with this ground sheet. Its manufacturing method (weaving polypropylene tubes) lets the air pass through without damaging the grass. Easy to fold. Easy to wash, simply remove any dirt present on the surface and rinse with water. Dries in open air. Naturally UV resistant. Double-sided design allows use on either side.

Weight: 400 g/m². Storage bag included.



THE MOST

- Quick and easy to use.
- Easy to wash.
- Transport bag included.

Length cm	Depth 250	Depth 300	Depth 350
300	853858		
350	853859		
400	853860		
450	853861		
500	853862	853866	
550	853863	853867	
600	853864	853868	853870
700	853865	853869	

Staking loops for easy, quick and durable placement.



Easily foldable and transportable thanks to the supplied storage bag.



Ground sheet Isabella

Size cm	Depth 250 cm			Depth 300 cm			Depth 350 cm				
	1 Flint	2 Dawn	3 North	1 Flint	2 Dawn	3 North	1 Flint	2 Dawn	3 North		
250 x 300	853871	853896	853921	300 x 300	853879	853904	853929	-	-	-	
250 x 400	853872	853897	853922	300 x 400	853880	853905	853930	350 x 400	853888	853913	853938
250 x 500	853873	853898	853923	300 x 500	853881	853906	853931	350 x 500	853889	853914	853939
250 x 550	853874	853899	853924	300 x 550	853882	853907	853932	350 x 550	853890	853915	853940
250 x 600	853875	853900	853925	300 x 600	853883	853908	853933	350 x 600	853891	853916	853941
250 x 650	853876	853901	853926	300 x 650	853884	853909	-	350 x 650	853892	853917	853942
250 x 700	853877	853902	853927	300 x 700	853885	853910	853935	350 x 700	853893	853918	853943
250 x 800	853878	853903	853928	300 x 800	853886	853911	853936	350 x 800	853894	853919	853944
-	-	-	-	300 x 900	853887	853912	853937	350 x 900	853895	853920	853945

4 Ground fixing eyelet

Clip-on eyelets for holding ground sheet without tools. Sold in sets of 4.

850019 £9,00



Set of 4

5 Ground mat pegs

Set of 10

850010 £5,00



Pack of 6

6 Eyelets and pegs for attaching to ground

Clip-on eyelets to pull the ground sheet taut without tools. Pack of 6 (eyelets + pegs).


850006 £7,00




Polypropylene ground sheet 300 g/m²

100% rot-proof polypropylene fabric. Lightweight, water and sun resistant. Weight: 300 g/m².

Depth cm	300 cm	350 cm	400 cm	450 cm	500 cm	550 cm
250 cm	850829	850830	850831	850832	850833	
300 cm		850840		850841		850842



300 g/m²



- 1 Flint Isabella
- 2 Dawn Isabella
- 3 North Isabella

Breathable, light and easy to clean. Can be cut without fraying. You can adapt your sheet to the exact dimensions required. Soft-to-touch, comfortable and non-slip. Flame-resistant, wear-resistant and weather-resistant.



Polypropylene Reinforced Ground sheet 390 g / m² Midland

100% rot-proof polypropylene fabric. Lightweight, water and sun resistant. Weight: 390 g/m²

Size cm	Ref./Price
300 x 250	850834
350 x 250	850835
400 x 250	850836
450 x 250	850837
500 x 250	850838



390 g/m²


Summer Line

Single Inflation point

Privacy inflatable windbreak

Inflatable windbreak in 1 point (air tube interlinked), easy and fast to set up. The Privacy windbreak can be used independently or placed in front of an awning to create a completely closed space. Ideal if you have a pet. Set supplied with a storage bag, manual pump, guy ropes and ground pegs. Available in two sizes.

Model	Height cm	Length cm	Front	Carry bag size (L x H x P) cm	Weight kg	Ref./Price
3 panels	140	620	Adjustable from 2,00 to 3,30 m	76 x 30,5 x 30	10,0	116013
5 panels	140	820	Adjustable from 3,30 to 5,00 m	76 x 34 x 34	13,8	116014



Safety padlock



Air tubes interlinked

Windy winfbreak

Protect yourself from wind, sun and prying eyes. Fast assembly, ultra-compact when folded. Polyester fabric + glass-effect window. Steel frame. Guy ropes and pegs supplied. Colour: grey. Length: 4 m. Height: 1.40m.

116005



Carrying and storage bag included.



Summer Line

Polyester All Season or PVC


Inflatable external shelter SummerLine

The Shelter Air is a multi-purpose, ultra-fast and easy-to-assemble, inflatable, external shelter. It can be used both as a kitchen or as a storage space. Its dimensions make it ideal for storing your outdoor furniture and bikes out of the wind, sun and away from prying eyes. The Airtubes of the inflatable structure are interlinked, enabling them to be inflated from one inlet. Once inflated, you can simply add the two roof ridges to solidify the structure.

Large roll-up front door. Left side can be raised, right side (fixed) is equipped with a large bay window with fly screen and clouded glass-effect window. Roof cap juts out to protect the front opening. Together these elements create a solid, durable and very airy structure.

Set supplied with a transport bag, manual pump, storm straps and ground pegs. Available in two materials: breathable polyester and waterproof PVC.

Model	Shelter size (L x H x P) cm	Carry bag size (L x H x P) cm	Weight kg	Ref./Price
Polyester	250 x 200 x 200	77 x 35 x 35	20,80	855541
PVC	250 x 200 x 200	77 x 36 x 36	22,20	855538



Inflatable structure



Air tubes interlinked



Protected inflation valves





Elysée toilet cover SummerLine
Multifunctional tent offering a private and safe place to change clothes, showering or using the toilet during outdoor activities.
Closable window and zipped door.

Size. cm	Fabric	Frame	Height cm	Weight kg	Ref./Price
120 x 120	Polyester	Fibre	205	2.65	850884
140 x 140	Polyester	Fibre	205	2.8	850852



Surface area
120 x 120 cm.

Use as toilet area



Surface area
120 x 120 cm.



Polyester

Ideal for changing or showering

Eden exterior cover SummerLine

Kitchen cover with roof cap overflow to protect the front opening. Total opening and closure of the front by zipper. The two sides and the front are equipped with large screen bays and shutter panes. The mudguards, strapping and roof are double-coated PVC. The walls are breathable polyester. These components provide a solid, durable and well ventilated structure.

Polyester and PVC fabric and steel frame. Height 195/215 cm.

Size cm	Fabric toit	Fabric murs	Frame	Height cm	Weight kg	Ref./Price
200 x 150	PVC	Polyester	Steel	185/210	12,9	850854
200 x 200	PVC	Polyester	Steel	185/210	14,2	850855



Breathable
all Season
Polyester

Available in 2 sizes



PVC
étanche

Use as a dining area



Use as a storage
area

Ground surface
200 x 200 cm

Olympe exterior cover SummerLine

Multi-functional tent that can be used both as a kitchen and a storage room. The 3 large windows with mosquito nets provide excellent ventilation. Large roll-up entrance door. With storage bag.
PVC fabric, steel frame. Dimensions (L x D): 200 x 200 cm.

850856

£240,00

Summer Line	Adventurer	Adventurer	Adventurer	Barrani	Barrani	Liberty 260	Liberty 330	Liberty 390	Pampéo	Pampéo	Pampéo	Pampéo	Annexes	
Reference	855456	855457	855458	855565	855566	855539	855525	855526	855467	855468	855469	855470	855561	855579
Compatibility	Van	Van	Van	Van - Campervan Eriba caravans ⁽¹⁾	Van - Campervan	For campervans and vans	Campervan	Campervan	Campervan	Campervan	Campervan	Campervan	Liberty	Barrani
DIMENSIONS														
Length of the awning (cm)	340	340	340	390	390	260	330	390	400	400	400	400	Dimensions of the annexes (WxH) in cm	
Depth of the awning (cm)	220	220	220	270	270	250	250	250	300	300	300	300		
Depth of the connecting tunnel	130	130	130	120	150	90	90	90	-	-	-	-	225x180	225x180
Length of the connecting rod	210	210	210	115	245	260	330	390	400	400	400	400	-	-
Assembly height (cm)	180-210	210-235	235-285	180-210	240-295	230-295	230-295	230-295	235-250	250-265	265-280	280-295	-	-
DESIGN														
Single-point inflation system	-	-	-	√	√	√	√	√	√	√	√	√	√	√
Multi-point inflation system	√	√	√	-	-	-	-	-	-	-	-	-	-	-
Drive away awning	√	√	√	√	√	√	√	√	-	-	-	-	-	-
Fixed awning	-	-	-	-	-	-	-	-	√	√	√	√	-	-
MATERIALS														
Roof	Polyester 230 g/m ²			Polyester 220 g/m ²		Polyester 220 g/m ²			Polyester 230 g/m ²				220 g/m ²	220 g/m ²
Walls	Polyester 160 g/m ²			Polyester 220 g/m ²		Polyester 220 g/m ²			Polyester 210 g/m ²				220 g/m ²	220 g/m ²
PACKAGING														
Weight kg (2)	24	26	27	36	37	34	35	39.3	31	31	31.5	31.5	10	10
Dimensions of the bag (cm)	120 x 40 x 35	120 x 40 x 35	120 x 40 x 35	108 x 43 x 37	108 x 43 x 37	115 x 46 x 46	115 x 48 x 46	115 x 50 x 46	120 x 40 x 43	120 x 40 x 43	120 x 40 x 43	120 x 40 x 43	85x24x24	85x24x24
OPTIONS														
Low annexe with internal room	-	-	-	-	-	-	-	-	855473	855473	855473	855473	-	-
High annexe	-	-	-	855579	855579	855561	855561	855561	855535	855535	855535	855535	-	-
Annexe dividing wall	-	-	-	Included	Included	Included	Included	Included	Included	Included	Included	Included	-	-
Interior room for high annexe	-	-	-	Included with 855579	Included with 855579	Included with 855561	Included with 855561	Included with 855561	855472	855472	855472	855472	-	-
Interior bedroom awning	-	-	-	Included	Included	Included	Included	Included	855487	855487	855487	855487	-	-
Storm strap	855479	855479	855479	Included	Included	Included	Included	Included	855479	855479	855479	855479	-	-
Balcony bar	-	-	-	855568	855568	855560	855531	855560	855485/86	855485/86	855485/86	855485/86	-	-
Awning	-	-	-	855567	855567	855540	855529	855530	855478	855478	855522	855522	-	-
2 lighting rails kit	-	-	-	855481	855481	855481	855481	855481	855481	855481	855481	855481	-	-
2 additional rails extension kit	-	-	-	855482	855482	855482	855482	855482	855482	855482	855482	855482	-	-
Rear support rods (4)	-	-	-	-	-	855328	855328	855328	855328	855328	855328	855328	-	-
Drilling tool for suction cup	-	-	-	855489	855489	855489	855489	855489	855489	855489	855489	855489	-	-
Suction cup plug	-	-	-	855488	855488	855488	855488	855488	855488	855488	855488	855488	-	-
Eva PAD (3)	-	-	-	-	-	-	-	-	855571	855571	855571	855571	-	-
Drive away awning kit	855536	855536	855536	855536	855536	855536	855537	855537	-	-	-	-	-	-
Universal assembly kit	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	-	-
Electric pump	855480	855480	855480	855480	855480	855480	855480	855480	855480	855480	855480	855480	-	-
Manual pump	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	Included	-	-
Ground mat	853838	853838	853838	853847	853847	853837	853838	853839	853847	853847	853847	853847	-	-

(1) Triton and Troll models (2) with accessories (pump, pegs, curtains, etc.) (3) Attached to the awning (4) Attached to the vehicle rail

Summer Line	Zonda	Zonda	Zonda	Zonda	Bora	Bréva	Alizé	Annexes	
Reference	855581	855582	855583	855584	855570	855569	855580	855586	855535
Compatibility	Campervan	Campervan	Campervan	Campervan	Campervan	Van	Van	Zonda	Pampéo
DIMENSIONS									
Length of the awning (cm)	330	330	330	330	300	300	250	Dimensions of the annexes (L x D): in cm	
Depth of the awning (cm)	280	280	280	280	300	190	250		
Depth of the connecting tunnel	-	-	-	-	90	90	-	210x180	210x180
Length of the connecting rod	340	340	340	340	300	250	-	-	-
Assembly height (cm)	235-250	250-265	265-280	280-295	230-295	180-210	180-210	-	-
DESIGN									
Single-point inflation system	√	√	√	√	-	-	-	√	√
Multi-point inflation system	-	-	-	-	√	√	√	-	-
Partially fixed awning	-	-	-	-	√	√	√	-	-
Complete awning	√	√	√	√	-	-	-	-	-
MATERIALS									
Roof	Polyester 230 g/m ²			Polyester 99 g/m ²			Polyester 67 g/m ²	230 g/m ²	230 g/m ²
Walls	Acrylic 290-300 g/m ²			Polyester 99 g/m ²			Polyester 67 g/m ²	210 g/m ²	210 g/m ²
PACKAGING									
Weight kg (2)	31	31.5	32	32.5	20.5	12.5	12	9	9
Dimensions of the bag (cm)	120 x 55 x 50	120 x 55 x 50	120 x 55 x 50	120 x 65 x 50	78 x 40 x 40.	70 x 30 x 30.	70 x 30 x 30.	78x25x25	78x25x25
OPTIONS									
Low annexe with internal room	-	-	-	-	-	-	-	-	-
High annexe	855586	855586	855586	855586	-	-	-	-	-
Annexe dividing wall	Included	Included	Included	Included	-	-	-	-	-
Interior room for high annexe	855472	855472	855472	855472	-	-	-	-	-
Interior bedroom awning	855487	855487	855487	855487	-	-	-	-	-
Storm strap	855479	855479	855479	855479	-	-	-	-	-
Balcony bar	-	-	-	-	-	-	-	-	-
Awning	-	-	-	-	-	-	-	-	-
2 lighting rails kit	855481	855481	855481	855481	-	-	-	-	-
2 additional rails extension kit	855482	855482	855482	855482	-	-	-	-	-
Rear support rods (4)	855328	855328	855328	855328	-	-	-	-	-
Drilling tool for suction cup	855489	855489	855489	855489	-	-	-	-	-
Suction cup plug	855488	855488	855488	855488	-	-	-	-	-
Eva PAD (3)	855571	855571	855571	855571	-	-	-	-	-
Drive away awning kit	-	-	-	-	855536	855536	-	-	-
Universal assembly kit	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	740197 740198	-	-
Electric pump	855480	855480	855480	855480	855480	855480	855480	-	-
Manual pump	Included	Included	Included	Included	Included	Included	Included	855587 optional	-
Ground mat	853846	853846	853846	853846	Included	Included	Included	-	-

(1) Triton and Troll models (2) with accessories (pump, pegs, curtains, etc.) (3) Attached to the awning (4) Attached to the vehicle rail

Summer Line	Sirocco 300	Sirocco 380	Libeccio 260	Libeccio 390	Zonda	Tivano	Annexes			
Reference	855461	855464	855465	855466	855581	TIVAIR2408 to TIVAIR24018	855471	855586	855577	855518
Compatibility	Caravan	Caravan	Caravan	Caravan	Caravan	Caravan	Sirocco	Zonda	Tivano	Tivano (Luxury version)
DIMENSIONS										
Depth of the awning (cm)	250	280	300	300	330	240	Dimensions of the annexes (WxH) in cm			
Length of the awning (cm)	300	380	260	390	280	-				
Extended (m)	-	-	-	-	-	From 8.25 to 11.00	210 X 180	210 X 180	210 X 180	216 X 180
Assembly height (cm)	235-250	235-250	235-250	235-250	235-250	235-250				
DESIGN										
Single-point inflation system	√	√	√	√	√	√	√	√	√	√
Multi-point inflation system	-	-	-	-	-	-	-	-	-	-
Partially fixed awning	√	√	√	√	√	-	-	-	-	-
Complete awning	-	-	-	-	-	√	-	-	-	-
Manual pump	√	√	√	√	√	√	-	-	-	-
Curtains	√	√	√	√	√	√	-	-	-	-
Lower body skirt	√	√	√	√	√	√	-	-	-	-
Wheel cover	√	√	√	√	√	√	-	-	-	-
MATERIALS										
Roof	Polyester 230 g/m ²		Polyester 230 g/m ²		Polyester 230 g/m ²	Polyester 280 g/m ²	230 g/m ²	230 g/m ²	230 g/m ²	230 g/m ²
Walls	Polyacrylic 300 g/m ²		Polyester 210 g/m ²		Acrylic 290-300 g/m ²	Polyester 210 g/m ²	300 g/m ²	300 g/m ²	210 g/m ²	210 g/m ²
PACKAGING										
Weight (kg) (1)	29/30	33/34	22	28	31	From 29 to 40	10	9	9	9
Dimensions of the bag (cm)	120 x 40 x 35		120 x 40 x 35		120 x 40 x 35	120 x 40 x 35	80 x 35 x 35.			
OPTIONS										
Low annexe with internal room	-	-	855532	855532	-	-	-	-	-	-
High annexe	855471	855471	-	-	855518	-	-	-	-	-
Interior room for high annexe	855472	855472	-	-	-	-	-	-	-	-
Left/right extension	-	-	855474/75	855474/75	-	-	-	-	-	-
Interior bedroom awning	855487	855487	855487	855487	855487	-	-	-	-	-
Storm strap	855479	855479	855479	855479	811632	-	-	-	-	-
Balcony bar	855483	855484	855490	855490	855573 to 855576 depending on size	811019/020	-	-	-	-
Awning	-	-	855476	855477	-	-	-	-	-	-
2 lighting rails kit	855481	855481	855481	855481	855481	-	-	-	-	-
2 additional rails extension kit	855482	855482	855482	855482	855482	-	-	-	-	-
Rear support rods	855328	855328	855328	855328	855328	-	-	-	-	-
Suction cup plug	855488	855488	855488	855488	-	-	-	-	-	-
Drilling tool for suction cup	855489	855489	855489	855489	-	-	-	-	-	-
Ground mat	853837	853847	853845	853847	853846	see the table on page 33	-	-	-	-
Eva PAD	-	-	855571	855571	855571	-	-	-	-	-
Electric pump	855480	855480	855480	855480	855480	855480	-	-	-	-

(1) With accessories (tarp, frame, pegs, curtains,...)

Summer Line	AGATE 270	JADE 270	ZIRCON 270	ONYX 240	ONYX 270	ONYX 300	Annexe		Bedroom
Reference	AGAT2700 to AGAT27013	JADE2700 to JADE27013	ZIRC2702V to ZIRC27013V	ONYX2404 to ONYX27018	ONYX2704 to ONYX27018	ONYX3004 to ONYX30018	850423	850433	850405
Compatibility	Caravan	Caravan	Caravan	Caravan	Caravan	Caravan	Agate, Jade and Zircon models	Onyx models	Agate, Jade, Zircon and Onyx
DIMENSIONS									
Size	0 to 13	0 to 13	2 to 13	4 to 18	4 to 18	4 to 18	Dimensions of the annexes (WxH) in cm		
Extended (m)	6.65 à 11.55	6.65 à 11.55	7.36 to 11.55	7.25 to 11.00	7.25 to 11.00	7.25 to 11.00			
Depth of the awning (cm)	270	270	270	240	270	300	200 X 150	200 X 187	190 X 140
Assembly height (cm)	235-250	235-250	235-250	235-250	235-250	235-250	-	-	-
DESIGN									
Steel frame diam.: 25 mm	√	√	√	√	√	√	Diam.19	Diam.25	-
EasyFix plug hook	√	√	√	√	√	√	-	-	-
Quick clamping lever	√	√	√	√	√	√	-	-	-
Blinds	-	-	√	√	√	√	-	-	-
Framed cap	Sizes 6 to 13	Sizes 6 to 13	√	√	√	√	-	-	-
Awning	-	-	√	-	-	-	-	-	-
Curtains	√	√	√	√	√	√	-	-	-
Lower body skirt	√	√	√	√	√	√	-	-	-
Wheel cover	√	√	√	√	√	√	-	-	-
Pegs + elastic straps	√	√	√	√	√	√	-	-	-
MATERIALS									
Roof	Polyester 280 g/m ²		PVC 560 g/m ²	Polyester 280 g/m ²			230 g/m ²	280 g/m ²	-
Walls	Polyester 210 g/m ²	Polyacrylic 300 g/m ²	PVC 470 g/m ²	Polyester 260 g/m ²			210 g/m ²	280 g/m ²	-
PACKAGING									
Weight (kg) (1)	From 27.50 to 51.9	From 29 to 56	From 40 to 65	From 33.5 to 50	From 34.3 to 52.3	From 35.1 to 54.6	10	16.8	3
Dimensions of the bag (cm)			From 34 to 43 x 136 to 146	110 x 33 x 30	110 x 33 x 30	110 x 38 x 38	28 X 138	28 X 138	-
OPTIONS									
Annexe	850423	850423	850423	850433	850433	850433	-	-	-
Interior bedroom for annexe	850405	850405	850405	850405	850405	850405	-	-	-
Storm strap	729999 - 730100	729999 - 730100	729999 - 730100	811632	811632	811632	-	-	-
Balcony bar façade	811020	811020	811020	811020	811020	811020	-	-	-
Balcony bar sides	811019	811019	811019	811019	811019	811019	-	-	-
2 lighting rails kit	855481	855481	855481	855481	855481	855481	-	-	-
2 additional rails extension kit	855482	855482	855482	855482	855482	855482	-	-	-

(1) With accessories (tarp, frame, pegs, curtains,...)

Summer
Line

2021
AWNINGS
CARAVANS, CAMPER VAN & MOTORHOMES

